

Sean Fitzgerald Cone Six Reduction Recipes  
seanfitzgeraldpottery.com

*SC#9 Clay As of Fall 2016*

Hawthorne Bond Fireclay 65 mesh 25  
Cedar Heights Fireclay 20  
Foundry Hill Creame 20  
Potash Feldspar (Custer) 10  
Silica 325 mesh 10  
Lizella 10  
Local Clay (aka WildClay) 5

-----  
Kyanite Fine 3  
Grog Fine 2

*Butt-Rub Ash* (named after a BBQ joint I used to get the ash from)

Wood Ash (unwashed) 25  
Nepheline Syenite 25  
Wollastonite 25  
Ball Clay 25

*Matt's Matte Decoration Glaze*

Custer Feldspar 55  
Whiting 20  
EPK 20  
Silica 5

*White Shino*

Nepheline Syenite 50  
Minspar 20  
Ball Clay 10  
Spodumene 10  
Soda Ash 10

*Otto's Amber Revisited*

Minspar 38  
Silica 30  
Wollastonite 21  
Ball Clay 6  
Zinc Oxide 5

-----  
Spanish Red Iron Ox. 12  
Bentonite 2

*Tay-Tay's Celadon*

Custer Feldspar 45  
Silica 25  
Wollastonite 20  
EPK 10

-----  
Spanish Red Iron Ox. 2  
Bentonite 2